

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 12/20/2013 Revision date: 9/12/2023 Supersedes version of: 6/28/2023 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile
UFI	: RYS2-V0Y8-Q008-W7ER
Product code	: NC-0808
Type of product	: Synthesis Reagent
Synonyms	: Mixture of 2,6-Dimethylpyridine and NMI in ACN
Product group	: End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Laboratory chemical
Industrial/Professional use spec	: Industrial For professional use only
Use of the substance/mixture	: Laboratory chemicals Substance manufacture
Function or use category	: Laboratory chemicals

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

emp Biotech GmbH GmbH
Robert-Rössle-Str. 10
DE- 13125 Berlin
Deutschland
T +49 (0)30 94 89 22 01 (Monday-Friday, 9:00 am-5:00 pm) - F +49 (0)30 94 89 32 01
info@empbiotech.com - www.empbiotech.com

1.4. Emergency telephone number

Emergency number	: Giftnotruf Berlin +49 30 30686700 (Beratung in Deutsch), 24 Stunden, 7 Tage/Woche; International: INFOTRAC +1-352-323-3500 (Phone) or in the US 800-535-5053 (toll-free), 24 hours/day, 7 days/week
------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Liq. 2	H225
Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Dermal)	H312
Acute Tox. 4 (Inhalation)	H332
Skin Corr. 1B	H314

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile


Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Hazard statements (CLP)

Precautionary statements (CLP)

- : Danger
- : H225 - Highly flammable liquid and vapour.
H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.
H314 - Causes severe skin burns and eye damage.
- : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 - Do not breathe vapours, mist, gas, spray.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

Other hazards which do not result in classification : This substance / mixture does not contain any components of 0.1% or higher that are either classified as persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component

2,6-Lutidine (108-48-5)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component

Acetonitrile (anhydrous)(75-05-8)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetonitrile (anhydrous) substance with national workplace exposure limit(s) (DE); substance with a Community workplace exposure limit	CAS-No.: 75-05-8 EC-No.: 200-835-2 EC Index-No.: 608-001-00-3 REACH-no: 01-2119471307-38-XXXX	40 – 60	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,6-Lutidine	CAS-No.: 108-48-5 EC-No.: 203-587-3	20 – 40	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319
1-Methylimidazole	CAS-No.: 616-47-7 EC-No.: 210-484-7 EC Index-No.: 613-035-00-7	10 – 30	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Consult a doctor. Show this safety data sheet to the doctor in attendance.
First-aid measures after inhalation	: Move person to fresh air and ensure comfortable breathing. In case of respiratory arrest, ventilate artificially. Ask for medical advice.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Ask for medical advice.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if possible. Continue rinsing. Ask for medical advice.
First-aid measures after ingestion	: Do not induce vomiting. Do not give an unconscious person anything to drink. Rinse mouth out with water. Ask for medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: The most important known symptoms and effects are described on the label (see 2.2) and / or in section 11.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Alcohol-resistant foam. Dry powder. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Combustible.
Explosion hazard	: Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.
Hazardous decomposition products in case of fire	: Carbon oxides. Nitrous gases (NOx).

5.3. Advice for firefighters

Firefighting instructions	: Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Protection during firefighting	: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : For personal protection see section 8.
Emergency procedures : Avoid breathing vapours, mist, gas, spray. Avoid substance contact. No flames, no sparks. Eliminate all sources of ignition. Ensure adequate ventilation, observe emergency procedures, consult an expert. Evacuate area.

6.1.2. For emergency responders

Protective equipment : Wear recommended personal protective equipment.

6.2. Environmental precautions

Do not allow to enter drains or water courses. Be careful of explosion risk. Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4. Reference to other sections

Information on exposure controls/personal protective equipment and on Instructions for disposal can be found in sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Avoid breathing vapours, mist. Take precautionary measures against static discharge. For precautions see section 2.2.
Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Apply preventive skin protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed in a dry, well-ventilated place. Keep away from heat and sources of ignition. Keep contents under inert gas.
Storage temperature : 5 – 25 °C
Storage area : Storage class (TRGS 510): See section 15.1.2.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Acetonitrile (anhydrous) (75-05-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Acetonitrile
IOEL TWA	70 mg/m ³
IOEL TWA [ppm]	40 ppm Indicative: Indicates the possibility of significant absorption of the substance through the skin.

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetonitrile (anhydrous) (75-05-8)	
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Acetonitril
AGW (OEL TWA) [1]	17 mg/m ³
AGW (OEL TWA) [2]	10 ppm Remark: Skin resorptive: There is no reason to fear a risk of damage to the developing embryo or foetus when AGW and BGW are adhered to. Source: DFG, EU
2,6-Lutidine (108-48-5)	
Germany - Occupational Exposure Limits (Generic OEL data)	
	Contains no substances with occupational exposure limits
1-Methylimidazole (616-47-7)	
Germany - Occupational Exposure Limits (Generic OEL data)	
	Contains no substances with occupational exposure limits

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear eye protection. Wear closed safety glasses. EN 166. Use face shield for larger quantities.

8.2.2.2. Skin protection

Skin and body protection:

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Flame retardant antistatic protective clothing

Hand protection:

Wear protective gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

. Splash contact-material: butyl-rubber

Minimum layer thickness: 0,7 mm

Break through time: 10 min

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

Required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards:

DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK. Wear respiratory protection

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not let product enter drains. Risk of explosion. Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colorless to light yellow.
Appearance	: Clear.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 2 °C (Acetonitrile)
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapors can form an explosive mixture with air.

10.2. Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. heat. Open flame. Sparks.

10.5. Incompatible materials

Bases, Oxidizing agents, Alkali metals, Reducing agents, Acids. Acid chlorides. Chloroformates.

10.6. Hazardous decomposition products

In the event of fire: see section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Harmful in contact with skin.
Acute toxicity (inhalation)	: Harmful if inhaled.
Additional information	: Acetonitrile: LD50 Oral - Mouse - male and female: 617 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Mouse - male and female - 4 h: 6,022 mg/l (OECD Test Guideline 403) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)
	2,6-Dimethylpyridine: LD50 Oral - Rat: 400 mg/kg Remarks: (RTECS) LCLo Inhalation - Rat - 1 h: 33,42 mg/l Remarks: (RTECS)
	1-Methylimidazole: LD50 Oral - Rat - male and female: 1.144 mg/kg Remarks: (OECD Test Guideline 401) LD50 Dermal - Rabbit - male and female: 400 - 600 mg/kg Remarks: (OECD Test Guideline 402)

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

LD50 oral rat	400 mg/kg 85JCAE "Prehled Prumyslove Toxikologie; Organicke Latky," Marhold, J., Prague, Czechoslovakia, Avicenum, 1986 Vol. -, Pg. 845, 1986 (RTECS)
LD50 dermal	2500 mg/kg - Guinea pig. 85JCAE "Prehled Prumyslove Toxikologie; Organicke Latky," Marhold, J., Prague, Czechoslovakia, Avicenum, 1986 Vol. -, Pg. 845, 1986 (RTECS)
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h

Acetonitrile (anhydrous) (75-05-8)

LD50 oral rat	2460 mg/kg - Union Carbide Data Sheet. Vol. 3/18/1965.
LD50 dermal rabbit	> 2000 mg/kg - International Journal of Toxicology. Vol. 19, Pg. 363, 2000.

2,6-Lutidine (108-48-5)

LD50 oral rat	400 mg/kg 85JCAE "Prehled Prumyslove Toxikologie; Organicke Latky," Marhold, J., Prague, Czechoslovakia, Avicenum, 1986 Vol. -, Pg. 845, 1986 (RTECS)
---------------	---

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2,6-Lutidine (108-48-5)	
LD50 dermal	2500 mg/kg - Guinea pig. 85JCAE "Prehled Prumyslove Toxikologie; Organicke Latky," Marhold, J., Prague, Czechoslovakia, Avicenum, 1986 Vol. -, Pg. 845, 1986 (RTECS)
1-Methylimidazole (616-47-7)	
LD50 oral rat	1144 mg/kg male and female (OECD Test Guideline 401)
LD50 dermal rabbit	400 – 640 mg/kg male and female (OECD Test Guideline 402)
Skin corrosion/irritation	: Causes severe skin burns.
Additional information	: 1-Methylimidazole: Skin - Rabbit Result: Corrosive Remarks: (OECD Test Guideline 404)
1-Methylimidazole (616-47-7)	
pH	9.5 – 11.5 Concentration: 50 g/l at 20 °C
Serious eye damage/irritation	: Assumed to cause serious eye damage
Additional information	: Acetonitrile: Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) 1-Methylimidazole: Eyes - Rabbit Result: Corrosive Remarks: (OECD Test Guideline 405)
1-Methylimidazole (616-47-7)	
pH	9.5 – 11.5 Concentration: 50 g/l at 20 °C
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Additional information	: Acetonitrile: Test system: Saccharomyces cerevisiae Result: positive Remarks: Cytogenetic analysis (ECHA)
Carcinogenicity	: Not classified (Acetonitrile: No evidence of carcinogenicity in animal studies.)
Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile	
IARC group	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
2,6-Lutidine (108-48-5)	
IARC group	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
1-Methylimidazole (616-47-7)	
IARC group	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
1-Methylimidazole (616-47-7)	
LOAEL (oral, rat, 90 days)	90 mg/kg bodyweight/day
Aspiration hazard	: Not classified

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acetonitrile (anhydrous) (75-05-8)	
Viscosity, kinematic	0.405 mm ² /s
1-Methylimidazole (616-47-7)	
Viscosity, kinematic	1.826 mm ² /s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH article 57(f) or commission delegated regulation (EU) 2017/2100 or commission regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other information

Potential adverse human health effects and symptoms : burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin, Treat as cyanide poisoning. Always have on hand a cyanide first-aid kit, together with proper instructions. The onset of symptoms is generally delayed pending conversion to cyanide. Headache, Dizziness, Rash, Cyanosis, excitement, depression, Drowsiness.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice, Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice, The substance should be handled with special care.

Other information : To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Acetonitrile (anhydrous) (75-05-8)	
LC50 - Fish [1]	1640 mg/l - Brooke, L.T., D.J. Call, D.L. Geiger, and C.E. Northcott 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (<i>Pimephales promelas</i>), Vol. 1. Center for Lake Superior Environmental Stud., Univ. of Wisconsin-Superior, Superior, WI :414
EC50 - Crustacea [1]	3600 mg/l - Tong, Z., Z. Huailan, and J. Hongjun 1996. Chronic Toxicity of Acrylonitrile and Acetonitrile to <i>Daphnia magna</i> in 14-d and 21-d Toxicity Tests. Bull. Environ. Contam. Toxicol. 57(4):655-659

1-Methylimidazole (616-47-7)

LC50 - Fish [1]	100 – 215 mg/l static test LC50 - <i>Leuciscus idus</i> (Golden orfe) - 96 h
EC50 - Crustacea [1]	267.94 mg/l EC50 - <i>Daphnia magna</i> (Water flea) - 48 h
EC50 72h - Algae [1]	180.7 mg/l static test EC50 - <i>Desmodesmus subspicatus</i> (green algae) - 72 h (OECD Test Guideline 201)

12.2. Persistence and degradability

Acetonitrile (anhydrous) (75-05-8)	
Biodegradation	70 % - Result: Readily biodegradable. (OECD Test Guideline 310)

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-Methylimidazole (616-47-7)

Biodegradation	0 – 10 % Aerobic - Exposure time 28 d Result: Not readily biodegradable. (OECD Test Guideline 301F)
----------------	---

12.3. Bioaccumulative potential

Acetonitrile (anhydrous) (75-05-8)

Partition coefficient n-octanol/water (Log Pow)	-0.34
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).

2,6-Lutidine (108-48-5)

Partition coefficient n-octanol/water (Log Kow)	1.68
---	------

1-Methylimidazole (616-47-7)

Partition coefficient n-octanol/water (Log Kow)	-0.06
---	-------

12.4. Mobility in soil

Acetonitrile (anhydrous) (75-05-8)

Mobility in soil	Not expected to adsorb on soil.
------------------	---------------------------------

12.5. Results of PBT and vPvB assessment

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Results of PBT assessment	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
---------------------------	--

Component

2,6-Lutidine (108-48-5)	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
-------------------------	--

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH article 57(f) or commission delegated regulation (EU) 2017/2100 or commission regulation (EU) 2018/605 at levels of 0.1% or higher.
--	---

12.7. Other adverse effects

Other adverse effects	: Discharge into the environment must be avoided.
Acetonitrile	: Toxicity to fish: Flow-through test LC50 - Pimephales promelas (fathead minnow): 1.640 mg/l - 96 h Remarks: (ECHA) Toxicity to algae: Static test NOEC - Phaeodactylum tricornutum: 400 mg/l - 72 h Remarks: (ISO 10253) Static test ErC50 - Phaeodactylum tricornutum: 9.696 mg/l - 72 h Remarks: (ISO 10253)
2,6-Dimethylpyridine	: Toxicity to daphnia and other aquatic invertebrates: EC50 - Tetrahymen pyriformis: 694 mg/l - 72 h Remarks: (ECOTOX Database) Toxicity to bacteria: microtox test EC50 - Photobacterium phosphoreum: 117 mg/l - 30 min Remarks: (Lit.)

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1-Methylimidazole : Toxicity to fish:
Static test LC50 - Leuciscus idus (Golden orfe): > 100 - 215 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates:
EC50 - Daphnia magna (Water flea): 267,94 mg/l - 48 h
Toxicity to algae:
Static test EC50 - Desmodesmus subspicatus (green algae): 180,7 mg/l - 72 h
Remarks: (OECD Test Guideline 201)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

Product/Packaging disposal recommendations : Contaminated packaging to be disposed as unused product.

SECTION 14: Transport information


In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
14.1. UN number or ID number		
UN 2924	UN 2924	UN 2924
14.2. UN proper shipping name		
FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Mixture of 2,6-Lutidine, N- Methylimidazole and Acetonitrile)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Mixture of 2,6-Lutidine, N- Methylimidazole and Acetonitrile)	Flammable liquid, corrosive, n.o.s. (Mixture of 2,6-Lutidine, N-Methylimidazole and Acetonitrile)
14.3. Transport hazard class(es)		
3 (8)	3 (8)	3 (8)
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

Overland transport

Orange plates



Tunnel restriction code (ADR)

: D/E

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-C
Properties and observations (IMDG) : Flammable toxic liquid which is not specified by name in this class or, on account of its characteristics, in some other class. Toxic if swallowed, by skin contact or by inhalation.

Air transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Seveso Directive (Disaster Risk Reduction)

Seveso Additional information : Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : FLAMMABLE LIQUIDS

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Employment restrictions : Employment prohibitions for the protection of young people at work according to § 22 section 1(6) JArbSchG have to be observed.
Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Storage class (LGK, TRGS 510) : LGK 3 - Flammable liquids.
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Mixture of 2,6-Lutidine and N-Methylimidazole in Acetonitrile

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.